



Technology
you can
rely on

The Complete System Program for Construction Machines

Central Lubrication

Breaker Lubrication

Control Systems

The central lubrication system for construction machines



At a construction site each minute counts. Construction machines have to work - they may not break down, least of all because of an avoidable defect, caused by a lack of lubrication. Highly loaded pins, bearings and joints need regular care. But manual greasing costs much time and money.

Maintenance works are expensive, but downtimes of a machine cost much more. You can forget all these problems with a BEKA-MAX central lubrication!




The easy way of maintenance

During the machine is in operation, the BEKA-MAX lubrication system supplies all lub points with the necessary grease. Absolutely reliable, electronically controlled and precisely metered.

Each bearing receives the right quantity of lubricant to the right time, without any standstill times. This improves the operational reliability of the machines and reduces maintenance costs.

Electronic control

The electronic control of the central lubrication is adapted to the operating conditions of the vehicle and activates the pump in the fixed interval.




Desmodromic actuation of the pumping elements

The pumping elements are not driven by a simple return spring but have a desmodromic push-pull actuation.



This guarantees a reliable functioning of the pump even by the use of rigid grease (up to NLGI 2) and very low ambient temperatures!

- Heavy duty components
- Suitable for all common lubricants (NLGI 000, 00, 0, 1, 2)
- Pump element with desmodromic drive for highest reliability
- Reservoir capacities: 1.9/2.5/4.0/8.0 kg
- Integrated control unit EP-tronic with
 - 3 operating modes: time, cycles or revolutions
 - electronic function monitoring
 - electronic choice of operating conditions EWP: easy, medium or heavy use
 - integrated data logger with diagnosis module
 - interface to the telematic system BEKAtraX
- Perfectly matched installation kits in OE quality
- Used as initial equipment by leading manufacturers

Flexible, precise, modular.



The compact lubrication system



Smaller construction machines like compact excavators or compact wheel loaders usually have only a little number of lub points. Apart from that, the installation of a central lubrication is difficult because of the restricted space.

Especially for these applications, BEKA-MAX has designed the PICO compact lubrication system.

PICO - big performance with small dimensions.



PICO - the innovative central lubrication system for compact vehicles and machines

The PICO system is the ideal combination of functionality and flexibility with compact dimensions.

The PICO system is the unique symbiosis of two lubrication systems: Multi line and progressive technology.

The powerful PICO pump supplies up to 8 lub points directly. Without distributor! To feed more lube points, the system can be extended with a progressive distributor. Even a second progressive circle is possible.


PICO is a modular system which can be used for all common vehicles and machines.

It is suitable for initial equipment (OE) or retrofitting.

- Very compact design
- Unique combination of two lubrication systems: Progressive and multi line technology
- Suitable for all common lubricants (NLGI 000, 00, 0, 1, 2)
- Reservoir capacity 1.2 kg with level monitoring
- Flexible extension possibilities
- Integrated control unit PICO-tronic with three operating modes: time, cycles or revolutions
 - electronic monitoring
 - electronic choice of operating conditions EWP: easy, medium or heavy use
 - integrated data logger with diagnosis module
 - interface to the telematic system BEKAtraX
- Perfectly matched installation kits for each vehicle or machine in OE quality

BEKA-MAX progressive distributors

- Modular designed distributor system for optimum lubricant feed rates
- Flexible extension possibilities
- Highest precision
- Comprehensive program of distributor types
- Optionally with monitoring and blockade control
- Also in stainless steel





Lubrication systems for hydraulic breakers

Hydraulic breakers are highly-stressed add-on tools for construction machines. Caused by the high mechanical load, wear and tear of the chisel is very high.

To reduce wear and tear of the chisel, it has to be supplied with special lubricants.

BEKA HAMAX breaker lubrication systems guarantee the steady lubrication of highly loaded bearing points. Caused by the special design of the pumps it is even possible to deliver lubricants with high solids contents like copper chisel lubricant.

No application is like the other.

That's why BEKA HAMAX offers no standard tools, but tailor-made solutions. This means: The ideal lubrication system for each application.

Advantages BEKA HAMAX:

- Effective reduction of wear and tear
- Higher productivity without lubricating services
- Trouble-free operation with HD-components
- With hydraulic or electric drive
- Reliable even with low temperatures
- Suitable for special lubricants

BEKAHAMAX 1 SYSTEM

The universal and rugged breaker lubrication system

- Suitable for lubricants with solids
- Adjustable lubricant output
- Activation by impulse – therefore suitable for applications without steady hydraulic flow
- Only one hydraulic connection (no return flow)
- Various reservoir sizes

BEKAHAMAX 2 SYSTEM

The Heavy Duty lubrication system

- Installation at the breaker - ideal for the use with different machines
- Adjustable lubricant output
- Simple design for highest reliability
- Hydro drive for steady delivery rate
- Low operation costs by common cartridges

BEKAHAMAX EP SYSTEM

The electric operated lubrication system

- Protected installation at the excavator
- Large steel reservoir for long operating times
- Economic operation with grease from the barrel
- With electronic controller and optional level monitoring for highest security
- With push-pull pump elements

Electronic control systems

The Telemetric Platform

BEKAtraX

The multi-functional telemetric platform BEKAtraX combines localization, data collection, remote monitoring and communication in a compact unit.

BEKAtraX offers besides GPS localization any comfort to avoid theft and illegal use of machines and vehicles all around the clock and to monitor the degree of utilization and operating times.

All that with each PC or notebook with internet access - without need for any additional software!



- Visualization of positions and routes
- Monitoring of operating hours
- Monitoring of technical parameters
- Automatic evaluations and reports
- Effective anti-theft protection
- Integrated maintenance data base

X-LOADtronic 3

Modern wheel loaders are designed for highest productivity under all conditions. It is important not to lose this performance after installing a weighing system.

The X-LOADtronic 3 weighing system will never tell you to slow down. The weighing procedure happens without any standstill times. Even on rough surfaces. Because X-LOADtronic 3 offers the highest dynamic.

X-LOADtronic 3 is very easy to use. It has an operator-friendly user surface with integrated help desk.

X-LOADtronic 3 is approved according to the latest European regulations. It can be calibrated and is suitable for legal trade, making it possible to sell products directly from the loader.



- Accurate under all conditions
- Easy handling
- Weighing without standstill
- Approved acc. to MID 006 OIML R 51
- USB data transfer to PC
- Calibration possible

The Dynamic Weighing System

BAIER+KÖPPEL GMBH+CO
PRÄZISIONSAPPARATEFABRIK

BEETHOVENSTRASSE 14
91257 PEGNITZ

PO box 13 20
91253 PEGNITZ

GERMANY

fon +49 9241 729-0

fax +49 9241 729-50

e-mail beka@beka-lube.de

web www.beka-lube.de



Industrial Lubrication



Vehicle Lubrication Systems



Spray Lubrication Systems



Lubrication Systems for the Packaging
and Filling Industry



Lubrication Systems for Wind Converters



Environmental Technology




Control and Monitoring Electronics



Telemetric Systems



Machines, Plants, Tools



Subsidiaries

AUSTRIA

BEKA-Lube GmbH
Lieferinger Hauptstrasse 93
5020 Salzburg

fon 0043 / 662 / 43 84 40

fax 0043 / 662 / 42 07 17

e-mail office@beka-lube.at

BELGIUM

BEKA LUBE N.V.S.A.
Demerstraat 32
BE 3200 Aarschot
fon 0032 / 16 / 64 09 26
fax 0032 / 16 / 64 05 48
e-mail bekalube@skynet.be

CANADA

BEKA-LUBE Products Inc.
2830 Argenta Road, Unit 9
Mississauga ON L5N 8G4
fon 001 / 905 / 821 / 1050
fax 001 / 905 / 858 / 0597
e-mail info@beka-lube.com

CHINA

EAST TSANHAIR COMPANY LTD.
Room 206, No. 9 Hangfeng
Road, Fengtai Science City
Beijing 100070, P.R. China
fon 0086 / 10 / 83 681 526
fax 0086 / 10 / 83 681 520
e-mail east-tsanhair@263.net

FRANCE

BEKALUBE FRANCE
4, bis Rue de l'Artisanat
89100 Paron
fon 0033 / 386 / 83 39 06
fax 0033 / 386 / 83 39 06
e-mail contacts@bekalube.fr

ITALY

BEKALUBE s.r.l.
Via Rossi 152
20043 Arcore
fon 0039 / 039 / 618 00 88
fax 0039 / 039 / 61 75 23
e-mail bekalube@bekalube.it

KOREA

BEKA AHWON
326-1 Dangung Dong
Gunpo Si Kyungki Do Korea
fon 0082 / 31 / 451 / 0628
fax 0082 / 31 / 451 / 0974
e-mail jhleeahwon@yahoo.co.kr

NETHERLANDS

BEKA NEDERLAND B.V.
Wagenmakerij 11
4762 AV Zevenbergen
fon 0031 / 168 / 37 15 38
fax 0031 / 168 / 33 83 29
e-mail info@beka.nl

TURKEY

BEKAMAKS MAKINA SANAYI
ve TICARET LTD. STI.
Kucukyali Ticaret Merkezi
B Blok No. 7 Girne Mah.
34852 Maltepe / Istanbul
fon 0090 / 216 / 367 34 00
fax 0090 / 216 / 367 33 85
e-mail info@bekamaks.com

USA

BEKA-MAX of America
2600 North America Drive Suite 8
P.O. Box 615
West Seneca, NY 14224
fon 001 / 905 / 821 / 1050
fax 001 / 905 / 858 / 05 97
e-mail info@beka-lube.com

Agencies

Argentina

Hong Kong

Poland

Australia

Hungary

Portugal

Belarus

India

Russia

Bosnia

Indonesia

Serbia

Brazil

Iceland

Slovakia

Croatia

Ireland

Slovenia

Czechia

Latvia

South Africa

Denmark

Lithuania

Spain

Estonia

Luxemburg

Sweden

Finland

Malaysia

Switzerland

Great Britain

New Zealand

and others

Greece

Norway

New Zealand Agency

TRANSCONSULT (NZ) LIMITED

21B Andromeda Crescent

East Tamaki, AUCKLAND

Phone (09) 576 9628

Fax (09) 576 9608

E-Mail info@transconsult.co.nz

www.transconsult.co.nz